

BERMUDA

CLEAN AIR AMENDMENT REGULATIONS 2024

BR / 2024

TABLE OF CONTENTS

1	Citation
2	Amends regulation 2
3	Amends regulation 5
4	Revokes and replaces regulation 7
5	Inserts regulation 7A
6	Amends regulation 8
7	Amends regulation 10
8	Revokes and replaces Schedule
9	Inserts Schedules 2, 3 and 4
10	Transitional provisions
11	Commencement

The Minister responsible for the Environment, in exercise of the power conferred by section 11 of the Clean Air Act 1991, makes the following Regulations:

Citation

1 These Regulations, which amend the Clean Air Regulations 1993 (the “principal Regulations”), may be cited as the Clean Air Amendment Regulations 2024.

Amends regulation 2

2 Regulation 2 of the principal Regulations is amended—

(a) by inserting in the appropriate alphabetical order the following definitions—

“concentration” means concentration in the ambient air;

“specified air contaminant” means the following air contaminants—

(a) Sulphur dioxide;

(b) Nitrogen dioxide;

(c) Nitrogen oxides;

CLEAN AIR AMENDMENT REGULATIONS 2024

- (d) Inhalable Particulate matter less than 10 micro-meters in size (PM₁₀);
 - (e) Inhalable Particulate matter less than 2.5 micro-meters in size (PM_{2.5});
 - (f) Carbon monoxide;
 - (g) Ozone;
 - (h) Lead;
 - (i) Hydrogen Chloride gas;
 - (j) Hydrogen sulphide;
 - (k) Benzene;
 - (l) Poly-Aromatic Hydrocarbon (PAH) as Benzo[a]Pyrene (B[a]P);”;
- (b) by deleting the definition of “controlled chemical” and replacing it as follows—
- “controlled chemical” means a substance listed in Schedule 1;”.

Amends regulation 5

3 Regulation 5 of the principal Regulations is amended by inserting after paragraph (a) the following—

- “(aa) an offensive odour above the dilution to threshold limit from a particular controlled plant;”.

Revokes and replaces regulation 7

4 Regulation 7 of the principal Regulations is revoked and the following regulation is substituted—

“Protection of the ambient air

7 (1) A person granted an operating licence under section 9 of the Act shall not emit, or cause or permit to be emitted, from any source any specified air contaminant so as to cause the concentration of that air contaminant to exceed the maximum limit per year as prescribed in Schedule 2.

(2) For the purposes of paragraph (1), a person shall not exceed—

- (a) the concentration of air contaminant limits for the protection of human health listed in Part 1 of Schedule 2;
- (b) the concentration of air contaminant limits for the protection of vegetation and ecosystems listed in Part 2 of Schedule 2.

CLEAN AIR AMENDMENT REGULATIONS 2024

Inserts regulation 7A

5 The principal Regulations are amended by inserting after regulation 7 the following new regulations—

“Concentration of air contaminant criteria

7A (1) The Minister shall assess the concentration of air contaminants across the whole or any part of Bermuda.

(2) Where the concentration of air contaminants exceed the maximum limits prescribed in Schedule 2, fixed measurements taken at monitoring stations approved by the Authority shall be used, but may be supplemented by modelling measurements in order to provide adequate information on the spatial distribution of the ambient air quality.

(3) In all areas where the level of those pollutants is below the maximum limits of air contaminants prescribed in Schedule 2, modelling or estimation techniques or both may be used instead of measurements.

(4) In all other areas a combination of fixed measurements together with modelling or ‘indicative’ measurements or both may be used.

(5) For the purposes of paragraphs (1) to (4), measurements shall be carried out in accordance with the criteria set out in Schedule 3.

(6) Save as provided for in paragraph (7), measurements shall be taken in accordance with the ‘reference’ or ‘equivalent’ measurement methods specified in Schedule 3.

(7) Where measurements are supplemented by modelling or ‘indicative’ measurements then the Minister shall take account of the results of those supplementary methods in assessing ambient air quality.

Protection of the ambient air against nuisance odour

7B (1) A person granted an operating licence shall not emit, or cause or permit to be emitted a nuisance odour so as to cause the concentration of the odour to exceed the maximum requirements per year as provided in Schedule 4.

(2) For the purposes of paragraph (1), a person granted an operating licence under section 9 of the Act shall—

- (a) meet the Dilution-to-Threshold (D/T) limit value in Schedule 4;
- (b) meet the operations and abatement equipment recommendations by the Authority as agreed by the licensee, for the purposes of preventing nuisance odours;
- (c) take all the appropriate preventative measures against nuisance odours, in particular through application of the best available technologies.

CLEAN AIR AMENDMENT REGULATIONS 2024

(3) After consultation with the Authority, the Minister may, by order subject to the affirmative resolution procedure, amend the Dilution-to-Threshold (D/T) limit value in paragraph (2)(a) in order to enable compliance.

Amendment of Schedule 4

7C (1) The Minister may by order amend the maximum requirements per year in Schedule 4 after consultation with the Authority.

(2) An order made by the Minister under paragraph (1) shall be subject to the affirmative resolution procedure.”.

Amends regulation 8

6 Regulation 8(1) of the principal Regulations is amended by revoking subparagraph (a) and substituting the following subparagraph—

“(a) of an opacity exceeding 15 per cent, averaged over a period of six consecutive minutes in any one hour; or”.

Amends regulation 10

7 Regulation 10 of the principal Regulations is amended as follows—

(a) by inserting after paragraph (1)(c) the following—

“(d) an accidental release or discharge of a nuisance odour,”;

(b) by revoking paragraph (2) and substituting the following paragraph—

“(2) Where the Minister receives a report under paragraph (1)—

(a) he may require the operator to furnish to him, whether or not in writing and, if need be, within a specified time, such particulars of the occurrence as the Minister thinks necessary;

(b) an inspector may issue a notice to the operator to provide an Air Quality Action Plan in accordance with section 12A of the Act.”.

Revokes and replaces Schedule

8 The Schedule to the principal Regulations is revoked and the following Schedule substituted—

Inserts Schedules 2, 3 and 4

9 The principal Regulations are amended by inserting after the Schedule to the Regulations the following Schedules—

CLEAN AIR AMENDMENT REGULATIONS 2024

“SCHEDULE 1

(regulation 2)

CONTROLLED CHEMICALS

Antimony and compounds

Arsenic and compounds

Asbestos (fibers)

Asphalt (petroleum) fume

Barium

Benzene and compounds

Benzo(a)pyrene (Noted that this is a polycyclic aromatic hydrocarbon listed below)

Beryllium and compounds

Bromine and compounds

Cadmium and compounds

Calcium sulphate

Chlorinated dibenzo-p-dioxins (dioxins)

Chlorine and compounds

Chloroform

Chromium and compounds

Cobalt and compounds

Copper and compounds

Cresols

Cyanide and compounds

Dichlorobenzene

CLEAN AIR AMENDMENT REGULATIONS 2024

Dichlorobenzidine

Glycol ethers

Hydrochloric acid

Hydrogen bromide

Hydrogen chloride

Hydrogen cyanide

Hydrogen peroxide

Hydrogen sulfide

Lead and compounds

Manganese compounds

Mercaptans

Mercury and compounds

Molybdenum

Nickel and compounds

Nitric acid

Ozone-depleting Chemicals & gases with high Global Warming Potential (GWP)

Phosphoric acid

Polybrominated biphenyls

Polychlorinated biphenyls

Polycyclic aromatic hydrocarbons (PAHs, including coal-tar products used in surface treatments for tarmacadam)

Polyvinyl chloride

Radionuclides

CLEAN AIR AMENDMENT REGULATIONS 2024

Selenium and compounds

Styrene

Sulphuric acid

Tin and compounds

Vanadium and compounds

Vinyl chloride

Zinc and compounds

Ozone-depleting chemicals & gases with high Global Warming Potential (GWP):

TABLE 2. Annex A of Montreal Protocol 1987: Controlled Chemicals (Chlorofluorocarbons - CFCs and Halons)

Group	Sub-stance	Substance technical name	Ozone Depleting Potential*	100-year Global Warming Potential***
Group I				
	CFCl ₃ (CFC-11)	Tri-chlorofluoromethane	1.0	4,750
	CF ₂ Cl ₂ (CFC-12)	Di-chlorofluoromethane	1.0	10,900
	C ₂ F ₃ Cl ₃ (CFC-113)	Tri-chlorotrifluoroethane	0.8	6,130
	C ₂ F ₄ Cl ₂ (CFC-114)	Di-chlorotetrafluoroethane	1.0	10,000
	C ₂ F ₅ Cl (CFC-115)	Chloro-pentafluoroethane	0.6	7,370
Group II				
	CF ₂ BrCl (halon-1211)	Bromo-chlorodifluoromethane	3.0	
	CF ₃ Br (halon-1301)	Bromo-trifluoromethane	10.0	
	C ₂ F ₄ Br ₂ (halon-2402)	Di-bromotetrafluoroethane	6.0	

CLEAN AIR AMENDMENT REGULATIONS 2024

TABLE 3. Annex B of Montreal Protocol 1987: Controlled Chemicals (Chlorofluorocarbons - CFCs)

Group	Substance	Substance technical name (Includes all Isomers)	Ozone-depleting Potential*
Group I			
	CF ₃ Cl	(CFC-13) Chloro-trifluoromethane	1.0
	C ₂ FCl ₅	(CFC-111) Penta-chlorofluoroethane	1.0
	C ₂ F ₂ Cl ₄	(CFC-112) Tetra-chlorodifluoroethane	1.0
	C ₃ FCl ₇	(CFC-211) Hepta-chlorofluoropropane	1.0
	C ₃ F ₂ Cl ₆	(CFC-212) Hexa-chlorodifluoropropane	1.0
	C ₃ F ₃ Cl ₅	(CFC-213) Penta-chlorotrifluoropropane	1.0
	C ₃ F ₄ Cl ₄	(CFC-214) Tetra-chlorotetrafluoropropane	1.0
	C ₃ F ₅ Cl ₃	(CFC-215) Tri-chloropentafluoropropane	1.0
	C ₃ F ₆ Cl ₂	(CFC-216) Di-chlorohexafluoropropane	1.0
	C ₃ F ₇ Cl	(CFC-217) Chloro-heptafluoropropane	1.0
Group II			
	CCl ₄	carbon tetrachloride Carbon Tetrachloride	1.1
Group III			
	C ₂ H ₃ Cl ₃ †	methyl chloroform 1,1,1-trichloroethane †	0.1

† This formula does not refer to 1,1,2-trichloroethane

TABLE 4. Annex C of Montreal Protocol 1987: Controlled Chemicals (Hydrochlorofluorocarbons - HCFCs)

Group	Sub-stance	Substance Technical Name (Includes all Isomers)	Number of Isomers	Ozone Depleting Potential*	100-Year Global Warming Potential***
Group I					

CLEAN AIR AMENDMENT REGULATIONS 2024

TABLE 4. Annex C of Montreal Protocol 1987: Controlled Chemicals (Hydrochlorofluorocarbons - HCFCs)

Group	Sub- stance	Substance Technical Name (Includes all Isomers)	Number of Isomers	Ozone Depleting Potential*	100-Year Global Warming Potential***
CHFC1 ₂	(HCFC- 21)**	Di- chlorofluoromethane	1	0.04	151
CHF ₂ Cl	(HCFC- 22)**	Chloro- difluoromethane	1	0.055	1810
CH ₂ FC1	(HCFC- 31)	Chloro- fluoromethane	1	0.02	
C ₂ HFCl ₄	(HCFC- 121)	Tetra- chlorofluoroethane	2	0.01-0.04	
C ₂ HF ₂ Cl ₃	(HCFC- 122)	Trich- lorodifluoroethane	3	0.02-0.08	
C ₂ HF ₃ Cl ₂	(HCFC- 123)	Di- chlorotrifluoroethane	3	0.02-0.06	77
C ₂ HF ₄ Cl	(HCFC- 124)	Chloro- tetrafluoroethane	2	0.02-0.04	609
C ₂ H ₂ FC1 ₃	(HCFC- 131)	Tri- chlorofluoroethane	3	0.007-0.05	
C ₂ H ₂ F ₂ Cl ₂	(HCFC- 132)	Di- chlorodifluoroethane	4	0.008-0.05	
C ₂ H ₂ F ₃ Cl	(HCFC- 133)	Chloro- Trifluoroethane	3	0.02-0.06	
C ₂ H ₃ FC1 ₂	(HCFC- 141)	Di- chlorofluoroethane	3	0.005-0.07	
C ₂ H ₃ F ₂ Cl	(HCFC- 142)	Chloro- difluoroethane	3	0.008-0.07	
C ₂ H ₄ FC1	(HCFC- 151)	Chloro- fluoroethane	2	0.003-0.00 5	
C ₃ HFCl ₆	(HCFC- 221)	Hexa- chlorofluoro- propane	5	0.0015-0.0 7	
C ₃ HF ₂ Cl ₅	(HCFC- 222)	Penta- chlorodifluoro- propane	9	0.01-0.09	
C ₃ HF ₃ Cl ₄	(HCFC- 223)	Tetra- chlorotrifluoro- propane	12	0.01-0.08	

CLEAN AIR AMENDMENT REGULATIONS 2024

TABLE 4. Annex C of Montreal Protocol 1987: Controlled Chemicals (Hydrochlorofluorocarbons - HCFCs)

Group	Sub- stance	Substance Technical Name (Includes all Isomers)	Number of Isomers	Ozone Depleting Potential*	100-Year Global Warming Potential***
C ₃ HF ₄ Cl ₃	(HCFC-224)	Tri-chlorotetrafluoropropane	12	0.01-0.09	
C ₃ HF ₅ Cl ₂	(HCFC-225)	Di-chloropentafluoropropane	9	0.02-0.07	
C ₃ HF ₆ Cl	(HCFC-226)	Chlorohexafluoropropane	5	0.02-0.10	
C ₃ H ₂ FCl ₅	(HCFC-231)	Pentachlorofluoropropane	9	0.05-0.09	
C ₃ H ₂ F ₂ Cl ₄	(HCFC-232)	Tetrachlorodifluoropropane	16	0.008-0.10	
C ₃ H ₂ F ₃ Cl ₃	(HCFC-233)	Trichlorotrifluoropropane	18	0.007-0.23	
C ₃ H ₂ F ₄ Cl ₂	(HCFC-234)	Di-chlorotetrafluoropropane	16	0.01-0.28	
C ₃ H ₂ F ₅ Cl	(HCFC-235)	Chloropentafluoropropane	9	0.03-0.52	
C ₃ H ₃ FCl ₄	(HCFC-241)	Tetrachlorofluoropropane	12	0.004-0.09	
C ₃ H ₃ F ₂ Cl ₃	(HCFC-242)	Trichlorodifluoropropane	18	0.005-0.13	
C ₃ H ₃ F ₃ Cl ₂	(HCFC-243)	Di-chlorotrifluoropropane	18	0.007-0.12	
C ₃ H ₃ F ₄ Cl	(HCFC-244)	Chlorotetrafluoropropane	12	0.009-0.14	
C ₃ H ₄ FCl ₃	(HCFC-251)	Trichlorofluoropropane	12	0.001-0.01	
C ₃ H ₄ F ₂ Cl ₂	(HCFC-252)	Di-chlorodifluoropropane	16	0.005-0.04	
C ₃ H ₄ F ₃ Cl	(HCFC-253)	Chlorotrifluoropropane	12	0.003-0.03	

CLEAN AIR AMENDMENT REGULATIONS 2024

TABLE 4. Annex C of Montreal Protocol 1987: Controlled Chemicals (Hydrochlorofluorocarbons - HCFCs)

Group	Sub-stance	Substance Technical Name (Includes all Isomers)	Number of Isomers	Ozone Depleting Potential*	100-Year Global Warming Potential***
	C ₃ H ₅ FCl ₂ (HCFC-261)	Di-chlorofluoropropane	9	0.002–0.02	
	C ₃ H ₅ F ₂ Cl (HCFC-262)	Chloro-difluoropropane	9	0.002–0.02	
	C ₃ H ₆ FCI (HCFC-271)	Chloro-fluoropropane	5	0.001–0.03	

TABLE 4: Annex C of Montreal Protocol 1987: Controlled Chemicals (Hydrochlorofluorocarbons - HCFCs and Hydrobromofluorocarbons - HBFCs)

Group	Sub-stance	Substance technical name (Includes all Isomers)	Number of isomers	Ozone Depleting Potential*
Group II				
	CHBr ₂	Di-bromofluoro-methane	1	1
	CHF ₂ Br (HBFC-22B1)	Bromodifluoro-methane	1	0.74
	CH ₂ FBr	Bromo-fluoromethane	1	0.73
	C ₂ HBr ₄	Tetra-bromofluoroethane	2	0.3–0.8
	C ₂ HF ₂ Br ₃	Tri-bromodifluoroethane	3	0.5–1.8
	C ₂ HF ₃ Br ₂	Dibromotrifluoro-ethane	3	0.4–1.6
	C ₂ HF ₄ Br	Bromo-tetrafluoroethane	2	0.7–1.2
	C ₂ H ₂ FBr ₃	Tri-bromofluoro-ethane	3	0.1–1.1
	C ₂ H ₂ F ₂ Br ₂	Di-bromodifluoroethane	4	0.2–1.5
	C ₂ H ₂ F ₃ Br	Bromotrifluoro-ethane	3	0.7–1.6
	C ₂ H ₃ FBr ₂	Di-bromofluoro-ethane	3	0.1–1.7

CLEAN AIR AMENDMENT REGULATIONS 2024

TABLE 4. Annex C of Montreal Protocol 1987: Controlled Chemicals (Hydrochlorofluorocarbons - HCFCs)

Group	Sub-stance	Substance Technical Name (Includes all Isomers)	Number of Isomers	Ozone Depleting Potential*	100-Year Global Warming Potential***
C ₂ H ₃ F ₂ Br		Bromodifluoro-ethane	3	0.2–1.1	
C ₂ H ₄ FBr		Bromofluoro-ethane	2	0.07–0.1	
C ₃ HFBr ₆		Hexabromofluoro-propane	5	0.3–1.5	
C ₃ HF ₂ Br ₅		Penta-bromodi-fluoropropane	9	0.2–1.9	
C ₃ HF ₃ Br ₄		Tetra-bromotrifluoro-propane	12	0.3–1.8	
C ₃ H ₄ Br ₃		Tribromotetra-fluoropropane	12	0.5–2.2	
C ₃ HF ₅ Br ₂		Di-bromopentafluoro-propane	9	0.9–2.0	
C ₃ HF ₆ Br		Bromo-hexa-fluoropropane	5	0.7–3.3	
C ₃ H ₂ FBr ₅		Penta-bromofluoro-propane	9	0.1–1.9	
C ₃ H ₂ F ₂ Br ₄		Tetrabromodi-fluoropropane	16	0.2–2.1	
C ₃ H ₂ F ₃ Br ₃		Tribromotrifluo-propane	18	0.2–5.6	
C ₃ H ₂ F ₄ Br ₂		Di-bromotetra-fluoro-propane	16	0.3–7.5	
C ₃ H ₂ F ₅ Br		Bromo-pentafluoro-propane	8	0.9–1.4	
C ₃ H ₃ FBr ₄		Tetrabromofluoro-propane	12	0.08–1.9	
C ₃ H ₃ F ₂ Br ₃		Tri-bromodifluoro-propane	18	0.1–3.1	
C ₃ H ₃ F ₃ Br ₂		Di-bromotrifluo-propane	18	0.1–2.5	
C ₃ H ₃ F ₄ Br		Bromo-tetrafluoro-propane	12	0.3–4.4	
C ₃ H ₄ FBr ₃		Tri-bromofluoro-propane	12	0.03–0.3	

CLEAN AIR AMENDMENT REGULATIONS 2024

TABLE 4. Annex C of Montreal Protocol 1987: Controlled Chemicals (Hydrochlorofluorocarbons - HCFCs)

Group	Sub-stance	Substance Technical Name (Includes all Isomers)	Number of Isomers	Ozone Depleting Potential*	100-Year Global Warming Potential***
	$C_3H_4F_2Br_2$	Di-bromodifluoro-propane	16	0.1–1.0	
	$C_3H_4F_3Br$	Bromotrifluoro-propane	12	0.07–0.8	
	$C_3H_5FBr_2$	Dibromofluoro-propane	9	0.04–0.4	
	$C_3H_5F_2Br$	Bromodifluoro-propane	9	0.07–0.8	
	C_3H_6FBr	Bromofluoro-propane	5	0.02-0.7	
Group III					
	CH_2BrCl	bromo-chloro-methane bromochloro-methane	1	0.12	

Any refrigerant with a high global warming potential shall be considered as a controlled chemical under the Regulations.

TABLE 5. Annex E of Montreal Protocol 1987: Controlled Chemicals

Group	Substance	Ozone-Depleting Potential*
Group I		
	CH_3Br	methyl bromide 0.6

TABLE 6. Annex F of Montreal Protocol 1987: Controlled Chemicals (Hydrofluorocarbons - HFCs)

Group	Substance (Formula/ Common name)	Substance Technical name	100-Year Global Warming Potential***
Group I			
	CHF_2CHF_2	HFC-134 1,1,2,2-Tetrafluoroethane	1,100
	CH_2FCF_3	HFC-134a 1,1,1,2-Tetrafluoroethane	1,430
	CH_2FCHF_2	HFC-143 1,1,2-Trifluoroethane	353

CLEAN AIR AMENDMENT REGULATIONS 2024

TABLE 6. Annex F of Montreal Protocol 1987: Controlled Chemicals (Hydrofluorocarbons - HFCs)

Group	Substance (Formula/ Common name)	Substance Technical name	100-Year Global Warming Potential***
	CHF ₂ CH ₂ CF ₃	HFC-245fa 1,1,1,3,3-Pentafluoropropane	1,030
	CF ₃ CH ₂ CF ₂ CH ₃	HFC-365mfc 1,1,1,3,3-Pentafluorobutane	794
	CF ₃ CHF ₂ CF ₃	HFC-227ea 1,1,1,2,3,3,3-Heptafluoropropane	3,220
	CH ₂ FCF ₂ CF ₃	HFC-236cb 1,1,1,2,2,3-Hexafluoropropane	1,340
	CHF ₂ CHF ₂ CF ₃	HFC-236ea 1,1,1,2,3,3-Hexafluoropropane	1,370
	CF ₃ CH ₂ CF ₃	HFC-236fa 1,1,1,3,3,3-Hexafluoropropane	9,810
	CH ₂ FCF ₂ CHF ₂	HFC-245ca 1,1,2,2,3-Pentafluoropropane	693
	CF ₃ CHFCH ₂ CF ₂ CF ₃	HFC-43-10mee 1,1,1,2,3,4,4,5,5,5-Decafluoropentane	1,640
	CH ₂ F ₂	HFC-32 Difluoromethane	675
	CHF ₂ CF ₃	HFC-125 Pentafluoroethane	3,500
	CH ₃ CF ₃	HFC-143a 1,1,1-Trifluoroethane	4,470
	CH ₃ F	HFC-41 Fluoromethane	92
	CH ₂ FCH ₂ F	HFC-152 1,2-Difluoroethane	53
	CH ₃ CHF ₂	HFC-152a 1,1-Difluoroethane	124
Group II			
	CHF ₃	HFC-23 Trifluoromethane (Fluoroform)	14,800**

*Where a range of ozone depleting products (ODPs) is indicated, the highest value in that range shall be used for the purposes of the Protocol. The ODPs listed as a single value have been determined from calculations based on laboratory measurements. Those listed as a range are based on estimates and are less certain. The range pertains to an isomeric group. The upper value is the estimate of the ODP of the isomer with the highest ODP, and the lower value is the estimate of the ODP of the isomer with the lowest ODP.

** Identifies the most commercially viable substances with ODP values listed against them to be used for the purposes of the Protocol.

CLEAN AIR AMENDMENT REGULATIONS 2024

TABLE 6. Annex F of Montreal Protocol 1987: Controlled Chemicals (Hydrofluorocarbons - HFCs)

Group	Substance (Formula/ Common name)	Substance Technical name	100-Year Global Warming Potential***
--------------	---	-------------------------------------	---

*** For substances for which no GWP is indicated, the default value 0 applies until a GWP value is included by means of the procedure foreseen in paragraph 9 (a) (ii) of Article 2.

SCHEDULE 2

(regulation 7)

PROTECTION OF THE AMBIENT AIR MAXIMUM LIMITS

Part 1 - protection of human health

Air contaminant	Period of monitoring for each standard	Maximum number of exceedances of concentration limits per year
Sulphur dioxide (SO ₂)	15-minute	266 µg/m ³ not to be exceeded more than 35 times in a calendar year
	1-hour	350 µg/m ³ not to be exceeded more than 24 times in a calendar year
	24-hour	125 µg/m ³ not to be exceeded more than 3 times in a calendar year
Nitrogen dioxide (NO ₂)	1-hour	200 µg/m ³ not to be exceeded more than 18 times in a calendar year
	1-year	40 µg/m ³ not to be exceeded within a calendar year
Inhalable particulate matter less than 10 micro-meters in size (PM ₁₀)	24-hour	50 µg/m ³
	1-year	30 µg/m ³ annual mean
Inhalable particulate matter less than 2.5 micro-meters in size	24-hour	35 µg/m ³ in the 98th percentile, averaged over 3 years

CLEAN AIR AMENDMENT REGULATIONS 2024

Part 1 - protection of human health

Air contaminant	Period of monitoring for each standard	Maximum number of exceedances of concentration limits per year
(PM _{2.5})	1-year	12 µg/m ³ annual mean
Carbon monoxide (CO)	1-hour	15,000 µg/m ³
	8-hour	6,000 µg/m ³ running an 8-hour mean
Ozone (O ₃)	1-hour	160 µg/m ³
	8-hour	100 µg/m ³ not to be exceeded more than 10 times in a calendar year
Lead (Pb)	1-year	60 µg/m ³
	24-hour	50 µg/m ³
	30-day	1.5 µg/m ³
Hydrogen chloride gas (HCl)	1-year	0.25 µg/m ³ annual mean
	1-hour	100 µg/m ³
Hydrogen sulphide (H ₂ S)	24-hour	40 µg/m ³
	1-hour	14 µg/m ³
Benzene	24-hour	4 µg/m ³
	1-year	3.25 µg/m ³ annual mean
Poly-Aromatic Hydrocarbon (PAH) as Benzo[a]Pyrene (B[a]P)	1-year	0.00025 µg/m ³ running annual mean

Part 2 - protection of vegetation and ecosystems

Air contaminant	Period of monitoring for each standard	Maximum concentration limits per year
Nitrogen oxides	1-year	30 µg/m ³ annual mean
Sulphur dioxide	1-year	20 µg/m ³ annual mean

SCHEDULE 3

(regulation 7A)

**METHODOLOGIES AND PROCESSES FOR MEASURING AIR
CONTAMINANTS IN AMBIENT AIR**

The following "reference" and "equivalent" standards are hereby approved, that is to say, the air pollution measurement standards in respect of licences set from time to time—

United States U.S. Environmental Protection Agency: approved using the Federal Reference Methods (FRM) and Federal Equivalent Methods (FEM) under Title 40, Part 53 of the Code of Federal Regulations (40CFR53);

European Union EU: approved using the Standard Methods for Type Approval of the monitoring of air pollutants under Directive 2008/50/EC on '*ambient air quality and cleaner air for Europe*' as amended by Commission Directive (EU) 2014/1480 on the '*laying down rules concerning reference methods, data validation and location of sampling points for the assessment of ambient air quality*';

United Kingdom: approved using the MCERTS Performance Standards scheme.

The following "indicative" monitoring methods are hereby approved, in respect of licences set from time to time—

United States Environmental Protection Agency (US EPA) air sensor toolbox (<https://www.epa.gov/air-sensor-toolbox>);

United Kingdom DEFRA Air Quality Expert Group (AQEG) 'low-cost' pollution sensors (<https://uk-air.defra.gov.uk/research/aqeg/pollution-sensors.php>).

SCHEDULE 4

(regulation 7B)

**DETERMINING IF AN OFFENSIVE ODOUR IS A NUISANCE
ODOUR**

Many types of controlled plants will generate odours that are particular to the licenced process and facility. Odours are only considered to be a 'nuisance' once above a particular concentration, however, determining odour concentration is complex and the human nose often provides the best assessment method. Most methods rely upon diluting the offending odour with odourless-air to the point where the odour is no longer detectable by trained assessors. This dilution

CLEAN AIR AMENDMENT REGULATIONS 2024

method with odourless-air is referred to as Dilution-to-Threshold (D/T) whereby a particular odour source will have a specific D/T limit assigned to it at the location of the nearest off-site neighbour(s).

The D/T method can be used to determine whether odour is considered a 'nuisance' at the neighbouring property from controlled plants such as:

- (i) aerated sewage treatment plants;
- (ii) spray paint facilities;
- (iii) fuel storage facilities;
- (iv) electrical generators;
- (v) incinerators;
- (vi) waste management sites, etc.

If the odour is detectable by trained assessors after the D/T limit has been reached, then that odour is considered to represent a 'nuisance.' It is noted that odours will be apparent to neighbours at 'non-nuisance' levels but should, according to best practice D/T limits, be less offensive to neighbours when compared to odours detected above the D/T limits, which represent 'nuisance' levels. It is noted that certain odours are more 'offensive' than others, which can result in different D/T limits being set for different types of odours in some jurisdictions.

There are a range of measures available that can be used to help mitigate the impact of 'nuisance' odours to neighbours. These include, but are not limited to, physical abatement measures applied to exhaust stacks in addition to changes to the processes, equipment, enclosures and to the operating hours. Such mitigation processes are to be considered by the Minister and licensee where 'nuisance' odours are impacting the public using best available technologies for the controlled plant in question.

Dilution-to-Threshold (D/T) is defined as the amount of dilution with odourless-air where 50% of the population will perceive an odour.

The D/T limit that is typically considered to represent the threshold between 'non-nuisance' and 'nuisance' odour is 5:1 (i.e. 5-parts odourless-air to 1-part odour complaint air). A 5:1 D/T nuisance threshold is considered to represent a typical odour limit when compared to other jurisdictions in the US. At this time all controlled plants shall be required to ensure that they do not create an odour 'nuisance' to their neighbours. Refinement of the 5:1 D/T in the future may be required for certain controlled plants as this odour assessment technique becomes more established in Bermuda and greater understanding of what constitutes an "offensive" odour becomes known.

CLEAN AIR AMENDMENT REGULATIONS 2024

If the majority of the trained assessors can detect the odour beyond a dilution of 5:1 then that odour is considered to represent a 'nuisance.'

Assessors shall be trained and assessed at odour detection at recognised odour training centres.

Before an odour is considered a 'nuisance' the majority of at least three (3) assessors shall have assessed the odour and considered it a nuisance (i.e. detectable at greater than a dilution of 5:1).

Odour assessment using the D/T method is determined at the location of the neighbours being impacted by the odour from the controlled plant, as defined under the Clean Air Act 1991.

Exceedance of the 5:1 D/T limit, as determined by three or more trained assessors, shall not be exceeded more than twice per year. An emission control order shall be issued upon the second or third determination of a 'nuisance' odour under section 12(1)(iv) of the Act. The emission control order will include details of what is required going forward, including details of considered abatement and mitigation equipment and processes that may be considered necessary to be fitted by a set or agreed date to address the nuisance odour as per the Air Quality Action Plan (i.e. section 12(3) of the Act). An Air Quality Action Plan shall be required. ”.

Transitional provisions

10

(1) A person operating a controlled plant immediately before the commencement day of these Regulations shall not be in breach of regulation 7 until the expiry of six-months beginning on that day.

(2) The person referred to in paragraph (1) shall, within a six-month period from the commencement of these Regulations, submit documentation showing compliance with regulation 7B of these Regulations.

(3) The Minister may, by order published in the Gazette, extend the transitional periods in paragraphs (1) and (2) as the Minister may determine.

(4) The orders made by the Minister under paragraph (3) are subject to the affirmative resolution procedure.

Commencement

11 These Regulations come into operation on such day as the Minister appoints by notice published in the Gazette.

CLEAN AIR AMENDMENT REGULATIONS 2024

Made this day of 2024

Minister of Home Affairs

DRAFT